



3-D VIEW

REV	REVISION DESCRIPTION	DATE
A	ISSUED FOR APPROVAL	13/09/00

GENERAL NOTES

- ALL DIMENSIONS ARE IN MILLIMETRES U.N.O.
- ALL PLATES TO BE TO AS 3678 OR 250 U.N.O.
- ALL SECTIONS TO BE AS 3079 OR 304 U.N.O.
- ALL SHS AND SHS TO BE TO AS 1163 OR 350 U.N.O.
- ALL NOTCHES IN MEMBER TO HAVE 15mm RADIUS IN CORNER
- MARK NOS. MUST BE CLEARLY SHOWN ON ALL ITEMS
- WELDING SYMBOLS SHOWN ARE TO AS 26
- ALL WELDS 6 mm CONT. FELLET U.N.O.
- ALL WELDING AND WELD PREPARATION FOR STRUCTURAL MEMBERS TO BE AS 1554, PAGE 1
- GRIND SMOOTH ALL SHARP CORNERS
- ALL HOLES 22 DIA U.N.O.

CLIENT:	BY	DATE	
PROJECT: MACQUARIE UNIVERSITY LIBRARY COGENERATION BUILDING	BP	13/09/00	
TITLE: CHILLED WATER TANK CLADDING STRUCTURE DETAILS	CHECKED	NAM	13/09/00
SCALE: NTS	APPROVED		
SHEET SIZE: A1	DRAWING NO:	V1	REV: A
	JOB NO:	AW001	

STRUCAO

PH: 9629 4976 FAX: 9629 4975